H₂n+	-₁Cn-	X -	F.	<u></u>	N N		(<i>></i> -	-o ố	> -	\prec	_	\rangle	—1	H₂n	1+,	Cm						
n	8	8	8	8	8	8	8	9	9	9	9	9	9	9	9	9	10	10	10	10	10	10	10	10
m	3	4	6	7	8	9	10	3	4	5	6	7	8	9	10	11	3	4	5	6	7	8	9	10
X	Ŀ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	_					_		_																
n	11	11	11	11	11	11	11	11	11	12	12			L	1	L	L	_	上	L_		13	13	13
m	3	4	5	6	7	7	8	9	10	3	4	5	6	7	8	9	10	11	3	4	5	6	7	8
X]-	-	-	-	-	Ŀ	Ŀ	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
	1				_			,				,												
n	13				14		14	14	<u> </u>	14		7	7	7	7	7	7	7	7	7	8	8	8	8
m	9	10	11	3	4	5	6	7	, 8	9	10	3	4	5	6	7	8	9	10	11	3	4	6	7
Х	-	-	-	-	-	-	-	-	-	-	-	Õ	0	0	O	0	0	О	О	О	0	О	О	0
			_																					
n	8	8	8	8	9	9	9	9	9	9	9	9			10		10	10		10	10	11	11	11
m	8		10		3	4	5	6	7	8	9	10	11	3	4	5	6	7	8	9	10	3	4	5
X	0	0	0	0	0	0	0	0	0	o	0	0	0	0	o	0	0	О	0	О	О	O	0	0
	-	_																						
n	11			_		11	11	12				12	12		12			13		13		_		_
m	6	7	8		10		12	3	4	5	6	7	8		10	3	4	5	6	7	8	_	10	11
X	О	0	0	О	0	0	0	0	0	О	0	0	0	0	0	o	o	o	0	0	0	0	0	0

Compounds of the formula (XXIX), where

H ₂ n+,Cn-X

n	6	6	6	7	7	7	7	7
m	7	8	9	4	6	8	9	10
X	-	-	-	-	-	-	-	-

n	8	8	9	9	9	9	9	9	9	10	10	10
m	8	10	3	4	6	7	8	9	10	8	9	19
X	1-	-	-	-	-	-	-	-	-	-	-	-

n	6	6	6	6	6	6	6	7	7	7	7	7	7	7	7
m	3	4	6	7	8	9	10	3	4	5	6	7	8	9	10
X	0	0	0	0	0	0	o	0	0	0	0	0	0	0	o

n	8	8	8			1															10
m	3	4	5				1														10
X	0	0	o	o	o	o	0	o	О	0	О	0	0	0	О	О	0	0	0	0	0

Compounds of the formula (XXX), where:

5

n	5	5	5	5	5	5	5	5	6	6	6	6	6	6	6	6	7	7	7	7	7	7	7	7
m	3	4	5	6	7	8	9	10	3	4	5	6	7	8	9	10	3	4		6	7	8	9	10

n	8	8	8	8	8	8	8	9	9	9	9	9	9	9	10	10	10	10	10	10	10	10
m	3	5	6	7	8	9	10	4	5	6	7	8	9	10	3	4	5	6	7	8	9	10

n	11	11	11	11	11	11	11	11	12	12	12	12	12	12	12	12	13	13	13	13	13	13	13	13
m	3	4	5	6	7	8	9	10	3	4	5	6	7	8	9	10	3	4	5	6	7	8	9	10

5

The invention furthermore provides compounds of the general formula (II), selected from compounds of the formula (XXXI), where:

$$H_2n+_1Cn$$
 O CmH_2m+_1

											ď	/	O,	1111	2111	1								
n	10	10	10	10	10	10	10	10	10	10	11	11	11	11	11	11	11	11	11	11	12	12	12	12
m	3	4	5	6	7	8	9	10	11	12	3	4	5	6	7	8	9	10	11	12	3	4	5	6
X	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
_		_		_		_				_	_			_	,		_	_			_			
n	12	_		L	12			_	14	_		14			14	Ш	6	6		6	6	6		L
m	7	8	9	10	11	12	3	4	5	6	7	8	9	10	11	12	3	4	5	6	7	8	9	10
X	_	-	-	-	-	_	-	-		-	_	-	-	-	-	-	0	0	0	О	0	0	0	0
		,			_																			
n	6	L_		7	7	7	7	7	7	7	7	7	8	8	8	8	8	8	8	8	8	9	9	9
m		12	35	4	5	6	7	8	9	10	1 I	12	3	4	5	6	8	9	10	11	12	3	4	5
X	0	0	0	0	0	0	0	О	О	0	0	0	О	0	О	0	О	О	О	0	0	0	О	О
n	9	9	9	9	9	9	9	10	10	10	10	10	10	10	10	10	10	11	11	11	11	11	11	11
m	6	7	8	9	10	11	12	3	4	5	6	7	8	9	10	11	12	3	4	5	6	7	8	9
X	0	0	0	0	0	0	0	О	0	0	О	0	О	О	0	0	0	0	О	0	0	0	0	0
n	11	11	11	12	12	12	12	12	12	12	12	12	12	13	13	13	13	13	13	13	13	13	13	14
m	10	11	12	3	4	5	6	7	8	9	10	11	12	3	4	5	6	7	8	9	10	11	12	3
X	0	О	0	0	О	О	О	0	0	0	0	0	О	О	0	0	0	0	0	0	0	0	0	0
n	14	14	141	141	14	14	141	11	141		_													
	4	5	6	7	8		10																	
m	4	3	0	1	ð	7	10	I I I	2															

Compounds of the formula (XXVIII), where: